

## Crekoat Industrial Water Based Floor Coating Low VOC Low Odor 1mm


Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: WB-3001
- Minimum Order Quantity: 500KG
- Packaging Details: Part A: 15 kg in an iron bucket, Part B: 5 kg in an iron bucket
- Delivery Time: 5-8 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 300, 000 kg per day


**CREKOAT**



### Product Specification

- Features: 2-Pack System
- Name: Water Based Floor Coating
- Materials: Epoxy Resin Floors
- State: Liquid Coating
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Thickness: 1mm~3mm
- Application: Brush, Roller, Spray
- Highlight: Crekoat Water Based Floor Coating, Water Based Floor Coating Low VOC, Industrial Floor Coating 1mm

**CREKOAT**



### More Images

**CREKOAT**



**CREKOAT**



## Product Description

### Low Odor Ultra Low VOC Water Based Epoxy Floor Coating Fast Cure

#### Product Descriptions:

Product Name	Industrial Waterbased Epoxy
Drying time (25°C)	Touch dry≤4 hours / Hard dry≤24 hours
Adhesion Strength, Mpa	≥2
Wear resistance (700g / 500r)	≤0.03g
Pencil Hardness (H)	≥3
Coverage (advise 2 coats)	0.2kg/sqm per coat

#### Quick Details:

Two pack, durable cured epoxy coating for areas subject to wear, exposure to chemicals, solvents and other industrial fluids. Can be applied directly on bare concrete surface after proper surface preparation without any sealer. Also suitable as a finish coat on properly primed metal substrates such as galvanized iron. Available in a wide range of industrial colours. Ideally suited for floors in mechanical and chemical industries. Also suitable as finish paint on steel structures, pipelines and tankages in marine and chemical environment.

#### Features:

1. Fast Application
2. Easy To Use
3. Non Flammable
4. Fire Resistant
5. Low VOC Low Odor
6. Excellent Adhesion

#### Advantages:

WB EPOXY displays excellent penetrating properties which consolidates the concrete substrate. At the same time, WB EPOXY produces a surface coating/film that will exhibit outstanding water- and chemical-resistance, excellent resistance to acids, solvents, oils, and gasoline and a superior combination of impact, abrasion, and scuff-resistance. Most importantly, WB EPOXY offers the performance characteristics mentioned above in a water-reducible formulation. In the past, the physical toughness and resistance properties such as those that WB EPOXY will provide was possible only from solvent-borne products. WB EPOXY should be considered for all interior concrete sealing applications where superior durability is required and solvent odors and flammability are not acceptable.



**Guangdong Crekoat New Materials Co., Ltd.**



+8615017402317



[info@crekoat.com](mailto:info@crekoat.com)



[epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China