

Large Mould Cast Deep Pour Resin Epoxy Excellent Bubble Dispersion

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: ART-3001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Features: Low Viscosity And Excellent Bubble Dispersion
- Name: Casting Deep Pour Resin
- Materials: Ultra Clear Epoxy
- Key Words: Perfect For Projects Which Include Large Slabs
- Application: Casting, Coating And Art Projects
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Mould Cast Deep Pour Resin Epoxy, Deep Pour Resin Epoxy Bubble Dispersion**



More Images



Product Description

Excellent Bubble Dispersion Large Mould Cast Deep Pour Resin Epoxy

Quick Details:

This is a Deep Pour Resin and it is unlike any on the market. Crekoat Cast is a 3:1 ratio by weight, it is a fast curing, deep casting epoxy resin where it has a low viscosity and excellent bubble dispersion. Perfect for projects which include large slabs of timber, pours that require a lot of depth, embedding, & large mould castings. This resin has been designed specifically for thick clear pours and has a high temperature resistance of up to 110 degrees (Celsius) once cured. Once this resin has been mixed with its harder, you have an 40 minutes before it starts to set (@ 25 degrees Celsius) and can be poured clear between 50-100mm thick per layer. Once mixed and poured, the bubbles will begin to disperse on their own however can be aided with heat.

Features:

1. Smooth and high gloss
2. Excellent bubble dispersion
3. Low odor when stirring
4. High temperature resistance
5. Specifically for thick clear pours
6. Ideal for DIY resin artworks

Advantages:

Crekoat epoxy resin produces a tough, No VOCs, Low Odor, high gloss, water and scratch resistant coating. The epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

Product Descriptions:

| Item | Epoxy Resin(A) | Hardener(B) |
|----------------------------|---|-------------|
| Appearance | Liquid | Liquid |
| Color | Transparent | Transparent |
| Viscosity@25°C | 800±200 mPa·s | 80max |
| Density, g/cm ³ | 1.07±0.05 | 0.95±0.03 |
| Mix Ratio | 3:1 by weight | |
| Hardness | Shore, D80-85 | |
| Pot Life | 30-40mins@25°C, for 100g | |
| Curing Time | 10-12hrs@25°C, 6-8hrs@35°C 12-24hrs, Dry Completely | |
| Max Pour Depth | 3-8cm max per single pour | |
| Shelf Life | 12 Months | |
| Application | Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables | |



