

## Ultra Clear Epoxy Resin Strong Transparent UV Resistant Countertop

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: ART-3001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



### Product Specification

- Features: UV Resistant Ensuring Long Lasting Results
- Name: Epoxy Coating For Art
- Materials: Marble Epoxy Countertop
- Key Words: Perfect For Any Application
- Application: Casting, Coating And Art Projects
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Ultra Clear Epoxy Resin, UV Resistant Countertop Clear Epoxy Resin



### More Images



## Product Description

### Strong Transparent UV Resistant Countertop Epoxy Wood Ultra Clear Resin Epoxy

#### Quick Details:

Virtually no micro-bubbles and the few that you may have are easily popped with a heat gun. I love it and highly recommend it. Our premium professional grade epoxy resin goes on smooth and dries evenly to eliminate crawling, trickling, craters and bubbles. High gloss formula cures a perfectly crystal clear finish and hard as a rock to resist scratch and yellowing. Excellent color stability could protect your artwork and DIY projects long lasting.

#### Features:

1. Non-toxic low odor and high gloss
2. Cures crystal clear and hard as a rock
3. 40 Minutes long working time
4. BPA free and Non-flammable
5. Contains UV Inhibitors to resist yellowing
6. Right for all your casting, coating and art projects

#### Advantages:

Crekoat epoxy resin produces a tough, No VOCs, Low Odor, high gloss, water and scratch resistant coating. The epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

#### Product Descriptions:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	800±200 mPa·s	80max
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	3:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C, for 100g	
Curing Time	10-12hrs@25°C, 6-8hrs@35°C 12-24hrs, Dry Completely	
Max Pour Depth	3-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	



