Tabletops Wood Epoxy Resin Crystal Clear UV Resistant Art Resin

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-DP2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Features: Low Odor And Exotherm
 Name: Deep Pour Resin Epoxy
 Materials: Clear Resin For Crafts

Key Words: UV Resistance With UV InhibitorsApplication: Casting, Coating And Art Projects

Mixing Ratio: 2:1 By WeightPot Life: 60 MinutesShelf Life: 12 Months

Highlight: Tabletops Wood Epoxy Resin,
 UV Resistant Wood Epoxy Resin,

Crystal Clear Wood Epoxy Resin



More Images













Product Description

Tabletops Wood Epoxy Resin Crystal Clear UV Resistant Art Resin

Quick Details Of Wood Epoxy Resin:

Epoxy Deep Casting System is an epoxy resin system specially designed for deep pouring and large castings. It allows for large pours with low heat (heat generation), with a thickness of 50mm-100mm per pour, allowing you to experience resin in a whole new way. Subsequent layers can be poured with excellent cohesion. Pour up to 2" thick with thicker layers. This deeppour epoxy is ideal for riverbeds, insets, deep-painted live edges, and other unique artwork. The newly formulated 2:1 ratio yields more Strong deep pour. This product is VOC free and therefore environmentally friendly.

Features Of Wood Epoxy Resin:

- 1. Compatible with most pigments, dyes
- 2. Superior air release to avoid bubbles
- 3. Easy to use instructions
- 4. Highest UV yellowing resistance
- 5. Safe Casting Resin Epoxy
- 6. Ideal for all Casting, Art Projects

Advantages Of Wood Epoxy Resin:

Crekoat epoxy resin produces a tough, No VOCs, Low Odor, high gloss, water and scratch resistant coating. The epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

Product Descriptions Of Wood Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	400-600 mPa⋅s	300-500
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C	
	48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting	
	Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry,	
	Coating Artwork and Acrylic Pour Paintings, Geode Paintings,	
	Molds, River Tables	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China