# Low Odor Liquid Glass Epoxy Resin Deep Casting Voc Free

### **Basic Information**

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-DP2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



### **Product Specification**

Features: Low Viscosity For Easy Mixing
 Name: Liquid Glass Epoxy Resin
 Materials: Best Epoxy For Countertops
 Key Words: High Gloss, Low Exotherm

Application: Casting, Coating And Art Projects

Mixing Ratio: 2:1 By WeightPot Life: 60 MinutesShelf Life: 12 Months

Highlight: Low Odor Liquid Glass Epoxy Resin,
 Deep Casting Liquid Glass Epoxy Resin



## More Images







### **Product Description**

### Low Odor Liquid Glass Epoxy Resin Deep Casting Voc Fre

#### Quick Details Of Liquid Glass Epoxy Resin:

Liquid Glass Deep Pour Epoxy is absolutely unrivaled in its 2-6 inch deep pour capability. Get unmatched industry performance and convenience by eliminating 75% of the work. It has the highest finish on the market and the strongest anti-ultraviolet yellowing ability. It has excellent casting properties, but is also safe and environmentally friendly. It's low-odor and VOC-free, making it a safe choice for indoor use. Deep Pour Epoxy Casting Resin is a versatile, high gloss resin with a crystal clear finish and an easy 2:1 mix by weight ratio.

### Features Of Liquid Glass Epoxy Resin:

- 1. Low viscosity for easy mixing
- 2. Excellent air bubble release
- 3. Seal coats are recommended
- 4. Mix by 2A:1B in weight
- 5. Safe Casting Resin Epoxy
- 6. Ideal for all Casting, Art Projects

### Advantages Of Liquid Glass Epoxy Resin:

Crekoat epoxy resin produces a tough, No VOCs, Low Odor, high gloss, water and scratch resistant coating. The epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

#### Product Descriptions Of Liquid Glass Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	400-600 mPa⋅s	300-500
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C	
	48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting	
	Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry,	
	Coating Artwork and Acrylic Pour Paintings, Geode Paintings,	
	Molds, River Tables	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China