

4 Inches Thick Casting Resin Epoxy For Table Single Pour Crystal Clear

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-DP2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Features: Safe And Odorless
- Name: Zero Vocs Epoxy Resin
- Materials: 2 Part Epoxy Crystal
- Key Words: Clear And Non-Toxic
- Application: Casting, Coating And Art Projects
- Mixing Ratio: 2:1 By Weight
- Pot Life: 60 Minutes
- Shelf Life: 12 Months
- Highlight: 4 Inches Thick Casting Resin Epoxy, Single Pour Casting Resin Epoxy



More Images



Product Description

4 Inches Thick Casting Resin Epoxy for Table Single Pour Crystal Clear

Quick Details Of Casting Resin Epoxy:

This product is scratch-resistant, water-resistant, and won't experience redness or sweat in high humidity conditions. Deep Pour is a slow curing, ultra-clear casting resin specially formulated for river and live edge tables in addition to casting, embedding and potting applications. It cures to a firm smooth surface, allowing pours of up to 2" at a time. Deep Pour Epoxy has a 2:1 mix ratio and can be used indoors without the need for ventilation or bulky breathing equipment. Each epoxy kit includes resin (part a) and hardener (part B).

Features Of Casting Resin Epoxy:

1. 100% SOLIDS
2. Long working time
3. High gloss resistant formula
4. Low viscosity for easy mixing
5. Low heat & Low odor
6. Ideal for all Casting, Coating, Art Projects

Advantages Of Casting Resin Epoxy:

Crekoat epoxy resin produces a tough, No VOCs, Low Odor, high gloss, water and scratch resistant coating. The epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

Product Descriptions Of Casting Resin Epoxy:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	400-600 mPa·s	300-500
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C 48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	



