

Two Component AB Resin Metallic Epoxy Floor Coating Water Resistant

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com


Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year




Product Specification

- Commercial Description: Epoxy Floor Paint
- Peculiarity: Strong, Washable, Water Resistant
- Materials: Clear Epoxy Resin And Hardener
- Key Words: Glass Like Metallic Finish
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **AB Resin Metallic Epoxy Floor Coating, Two Component Metallic Epoxy Floor Coating, Metallic Epoxy Floor Coating Water Resistant**



More Images



Product Description

Two Component AB Epoxy Resin Metallic Epoxy Floor Coating

Quick Details Of AB Epoxy Resin:

Industrial and residential epoxy floors are usually laid in several layers. Depending on the colors and additives of each layer, many effects can be created. Some people prefer a matte or glossy finish in one color. Vinyl color blocks can be added to create the popular epoxy flake flooring, or mineral flakes can be added to simulate natural stone. Metallic epoxy floors are made from metallic pigments, which are tiny shimmering pigments in epoxy that absorb light.

There are several different installation techniques to achieve unique metallic effects. When the metallic paints are agitated with a roller or brush, they turn, twist and bunch together, reflecting light at different angles. Solvents such as denatured alcohol can also be used to draw and spread metallic pigments across the epoxy surface before it dries. The blade blower can even be used to push, bump and ripple paint. Contractors can also use spots and a mix of several colors to create a more unique effect.

Features Of AB Epoxy Resin:

1. Marble slab flooring
2. Conforms to the health requirements
3. Scratch-resistant and UV-resistant
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant coating

Advantages Of AB Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of AB Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



Guangdong Crekoat New Materials Co., Ltd.



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

