

Metallic Epoxy Resin Floor Coating Solvent Less Fast Curing

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 300KG
- Price:
- · Packaging Details:
- Delivery Time:
- 3-7 Working days • Payment Terms: T/T, Western Union, MoneyGram

CHINA

CREKOAT

TDS, MSDS

CK-MTL2001

US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box

- 1000000 Ton/Year
- Supply Ability:





Product Specification

- Commercial Designation: Concrete Epoxy
- Mark:
- Materials:
- . Key Words:
- · Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Heat Resistant
- Clear Epoxy Resin And Hardener
- Glass Like Metallic Finish
- Wood, Brick, Ceramic, Concrete
- 2:1 By Weight
- 30 Minutes
- 12 Months
- Epoxy Resin Floor Coating Fast Curing, **Epoxy Resin Floor Coating Solvent Less**





More Images







Solvent Less Fast Curing Epoxy Resin Metallic Epoxy Resin Floor Coating

Quick Details Of Fast Curing Epoxy Resin:

Metallic floors introduce a captivating yet sophisticated ambiance to living or public spaces. The effects achieved through metallic pigments and epoxy coatings stand unparalleled among other coating options. By adeptly reflecting light, these floors offer a sense of depth and dimension far beyond that of stained and polished concrete.

Beyond their unique aesthetics, metallic epoxy floor coatings deliver the same advantages as traditional epoxy floors. These encompass industrial-grade flooring systems that shield against abrasions, punctures, moisture, chemical spills, and more. The seamless surface simplifies cleaning, requiring no waxing or polishing, while ensuring hygiene and slip resistance for enhanced safety.

Features Of Fast Curing Epoxy Resin:

- 1. Fast and Easy to Use
- 2. Industrial grade epoxy resin
- 3. UV stable, ZERO VOCs
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant coating

Advantages Of Fast Curing Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of Fast Curing Epoxy Resin:

	-	
Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa·s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use –	
	Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China