Clear Pure Epoxy Resin Metallic Floor Paint Heat Resistant

Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-MTL2001 • Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box · Packaging Details:

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

 Highly Regarded Product Metallic Epoxy Floor Name:

Hallmark: Provides A Hard, Durable Surface

Materials: Epoxy Resin And Hardener . Key Words: Glass Like Metallic Finish Wood, Brick, Ceramic, Concrete · Application:

. Mixing Ratio: 2:1 By Weight · Pot Life: 30 Minutes . Shelf Life: 12 Months

• Highlight: Metallic Floor Paint Heat Resistant,

Pure Epoxy Resin Metallic Floor Paint



More Images







Product Description

Heat Resistant Clear Pure Epoxy Resin Metallic Floor Paint

Quick Details Of Pure Epoxy Resin:

Metallic epoxy concrete floor coatings create a unique and elegant look that cannot be replicated by any precast flooring system. Our metallic epoxy floor coatings consist of mica nanoparticles and are coated with various organic and inorganic pigments to produce pearlescent and iridescent effects, resulting in a three-dimensional effect of marbling. When metallic particles are mixed with epoxy, they impart a light-reflecting sheen to the coating and create eye-catching, eye-catching colors. Metallic epoxy concrete floor coatings provide the high-gloss, multi-color finish that is common in basements, retail stores, garage floors, and many other applications.

Features Of Pure Epoxy Resin:

- 1. Smooth and mirror-like finish
- 2. Impact resistant high gloss
- 3. Low odor for user comfort during application
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant coating

Advantages Of Pure Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of Pure Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China