

Translucent Resin metallic swirl epoxy floor Bubble Free

Basic Information

. Place of Origin: **CHINA** . Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-MTL2001 • Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box Packaging Details:

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

· Official Designation: Metallic Epoxy

Specific: Long Lasting And Durable Materials: Epoxy Resin And Hardener Glass Like Metallic Finish . Key Words:

Wood, Brick, Ceramic, Concrete · Application:

Mixing Ratio: 2:1 By Weight Pot Life: 30 Minutes Shelf Life: 12 Months

• Highlight: Translucent Metallic Swirl Epoxy Floor,

Metallic Swirl Epoxy Floor Bubble Free



More Images







Product Description

Bubble Free Translucent Epoxy Resin Metallic Epoxy Swirl Floor Coating

Quick Details Of Translucent Epoxy Resin:

Metallic Epoxy is the new standard in high quality metal pigmented epoxy flooring systems. This product has unrivaled working time and unmatched flow. With metallic epoxy, each layer is unique and beautiful. The veining characteristics are unlike any other metal system.

Metallic Epoxy is a revolutionary decorative epoxy. Known for their amazing flow and uptime, use our metal materials to create stunning epoxy floors. The new standard in high quality metal pigmented epoxy flooring systems. These products have unrivaled uptime and unmatched flow. With metallic epoxy, each layer is unique and beautiful. The veining characteristics are unlike any other epoxy resin system. Compatible with a wide range of colored metallic pigments, the possibilities are endless.

Features Of Translucent Epoxy Resin:

- 1. BPA and VOC free
- 2. Non Toxic Safe for home use
- 3. self-leveling resin epoxy is easy to use
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant coating

Advantages Of Translucent Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of Translucent Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China