

Durable Metallic Epoxy Floor Coating Anti Scratch Grey Color

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-MTL2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

• Feature Name: 3D Epoxy

Particularity: Multi Purpose Clear Coating
 Materials: Epoxy Resin And Hardener
 Key Words: Glass Like Metallic Finish

Application: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 30 MinutesShelf Life: 12 Months

Highlight: Metallic Epoxy Floor Coating Anti Scratch,
 Grey Metallic Epoxy Floor Coating



More Images







Product Description

Durable Coating Anti Scratch Epoxy Resin Grey Metallic Epoxy Floor

Quick Details Of Anti Scratch Epoxy Resin:

Epoxy floor coatings are incredibly versatile in appearance. Available in a variety of different colours, you can arrange your floors in different designs and patterns. An affordable way to decorate plain concrete, you can easily add a nice ambiance to your home or workspace with epoxy flooring.

Garages love epoxy flooring not only for its abrasion resistance and durability, but also for its safety components. This material reflects light from the floor, enhancing visibility.

If you really want to beautify your space, check out our metallic floor epoxy coating, which breathes life into concrete floors. This type of finish appears to "gild" a simple concrete floor, making it look three-dimensional.

Features Of Anti Scratch Epoxy Resin:

- 1. High Gloss And Surface Durability
- 2. Excellent Machineability
- 3. Demonstrate Low Yellowing
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough and water resistant coating

Advantages Of Anti Scratch Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of Anti Scratch Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China