


## Glass Like Metallic Epoxy Basement Floor Paint Non Toxic Viscous

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year




### Product Specification

- Name Of Data Item: Epoxy Flooring For Homes
- Detail: Fast Curing Liquid Resin
- Materials: Epoxy Resin And Hardener
- Key Words: Glass Like Metallic Finish
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Metallic Epoxy Basement Floor Paint, Epoxy Basement Floor Paint Non Toxic**



### More Images



## Product Description

### Non Toxic Viscous Epoxy Resin Metallic Epoxy Basement Floor Paint

#### Quick Details Of Viscous Epoxy Resin:

If you are looking for a unique floor, the sky is the limit. Many times mancaves, cbd shops, car showrooms and specialty stores want a unique floor. The good thing is, you can do just about anything with epoxy. Epoxy floors not only look regal, but they are also one of the easiest floors to clean and can last a lifetime if done right.

This beautiful floor craft is Metallic Epoxy Flooring. The metallic epoxy floor process is the same as the regular epoxy garage process, but with the addition of a splash of metallic paint. Rest assured, you can create your own designs, colors and paints, what you want your floors to look like, and the contractor can create anything you want. No two epoxy coatings look alike.

You no longer have to worry about chipping or cracking concrete due to the long-lasting epoxy coating, and may be tempted to walk or even just stare at your floors when you're done.

#### Features Of Viscous Epoxy Resin:

1. Durable coating with strong adhesion
2. Cures to a high-strength solid
3. Highly resistant to moisture vapor
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough and water resistant coating

#### Advantages Of Viscous Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

#### Product Descriptions Of Viscous Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150
Density, g/cm <sup>3</sup>	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



Guangdong Crekoat New Materials Co., Ltd.



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

