CREKOAT

Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-MTL2001 • Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box · Packaging Details:

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

 Commercial Description: Super Clear Epoxy Resin · Specialty: **Excellent Clarity And Gloss** Materials: Epoxy Resin And Hardener Glass Like Metallic Finish . Key Words: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 2:1 By Weight Pot Life: 30 Minutes

Shelf Life: 12 Months

• Highlight: Metallic Concrete Epoxy Resin Floor Paint, **Epoxy Resin Floor Paint UV Protection**



More Images

· Application:







Product Description

Uv Protection Coating Epoxy Resin Metallic Concrete Epoxy Paint

Quick Details Of Coating Epoxy Resin:

A metallic epoxy floor coating that incorporates glitter-like metallic pigments into the epoxy resin to reflect indoor light from different angles. Once the metallic epoxy coating has set, a beautiful three-dimensional swirl is left on the concrete floor. When you invest in metallic epoxy floor paint, you'll be the envy of visitors to your home. Metallic epoxy floor coatings are an inexpensive alternative to natural stone floors. Many homeowners like to express their creativity by applying different metallic colors to different floors of the home. They come in a variety of colors, from earth tones to bolder color options to complement any design scheme.

Features Of Coating Epoxy Resin:

- 1. Good permeability and sealing ability
- 2. Stunningly clear and glossy finish
- 3. High gloss project surface
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough and water resistant coating

Advantages Of Coating Epoxy Resin:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Installation technique is what determines the final look of your floor and is a key part of achieving the desired look.

Metallic epoxy floor coatings are not only aesthetically pleasing, but also offer many other benefits. Metallic epoxy floor coatings can be customized to be extremely durable, low yellowing, seamless, antimicrobial, non-slip and chemical resistant. These floors not only look beautiful, but can meet all your performance needs. They are perfect for waiting rooms, exhibition rooms, restaurants, galleries and more.

Product Descriptions Of Coating Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China