


Self Leveling Concrete Garage Floor Paint Epoxy Resin Flooring Systems

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-PT4001
- Minimum Order Quantity: 300KG
- Price: US\$3.5-5.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Business Name: Industrial Garage Floor Epoxy
- Marked: Ultra Fast Drying
- Materials: Epoxy Resin And Hardener
- Key Words: Seamless, High Gloss Finish
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 4:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Self Leveling Concrete Garage Floor Paint, Epoxy Resin Concrete Garage Floor Paint



Product Description

Self Leveling Concrete Garage Floor Paint Epoxy Resin Flooring Systems

Quick Details Of Concrete Garage Floor Paint:

Epoxy resin may be the most well-known resin flooring technology due to its excellent mechanical and chemical properties. Epoxy resin flooring can also be customized into various colors, styles, effects, and decoration options. However, there are different types of epoxy resin flooring systems available for various applications. When floor terminology is interchangeable, confusion can sometimes arise, such as coating=floor=screed. This is not technically accurate as different terms have their own profiles and properties.

In terms of aesthetics, epoxy resin flooring is seamless and versatile, capable of producing various colors, styles, effects, and decorative options. These properties are suitable for use in industrial and commercial facilities and venues. There are several common types of epoxy resin flooring, such as epoxy terrazzo flooring, epoxy flake coating, epoxy floor coating, and epoxy self-leveling agent.

Features Of Concrete Garage Floor Paint:

1. Protects against scratches, spills, dirt and more
2. Non-yellowing, non-ambering and low odor
3. Odorless, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant coating

Advantages Of Concrete Garage Floor Paint:

The chemical and acid resistant epoxy phenolic resin coating kit is a two layer acid and chemical resistant phenolic resin coating system. The characteristic of this system is a layer of reinforced epoxy phenolic varnish primer, followed by a layer of phenolic varnish topcoat. This 2-layer floor coating system is very suitable for use in harsh environments where chemical/acid resistance is crucial. We recommend using it in chemical plants, breweries, wineries, breweries, processing plants, battery storage rooms, chrome plating facilities, and other similar applications. This 2-layer coating is designed for applications that frequently experience splashes/spills of acids, chemicals, and solvents. By allowing the primer to "grab" the concrete and then bonding the topcoat to the primer, a super strong and efficient floor coating is formed, thereby enhancing the strength of the floor. This type of floor can also withstand normal wear and tear, impact drops, pH cleaners, liquids, and any other substances that may enter the floor. It is very easy to clean, just use a mop or wet vacuum cleaner, and quickly make your floor look new.

Product Descriptions Of Concrete Garage Floor Paint:

Item	Epoxy Base Material(A)	Epoxy Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China