



Seamless Coloured Concrete Floor Paint Epoxy Resin Flooring Anti Slip Chemicals

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-PT4001
- Minimum Order Quantity: 300KG
- Price: US\$3.5-5.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year


CREKOAT



Product Specification

- Brand Name: Industrial Floor Coatings Concrete
- Individualizing: Water-Based Epoxy
- Materials: Epoxy Resin And Hardener
- Key Words: Seamless, High Gloss Finish
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 4:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Seamless Coloured Concrete Floor Paint,
Epoxy Resin Coloured Concrete Floor Paint,
Anti Slip Coloured Concrete Floor Paint

CREKOAT



Product Description

Seamless Coloured Concrete Floor Paint Epoxy Resin Flooring Anti Slip Chemicals

Quick Details Of Coloured Concrete Floor Paint:

Due to epoxy resin being a seamless and impermeable flooring choice, it can protect the concrete substrate from the effects of chemicals, dirt, liquids, and other pollutants. This makes the floor easy to clean, simply using a washer or universal cleaner for standard mopping without the need for waxing or polishing. Epoxy resin flooring, in addition to standard cleaning, does not require much maintenance and is a good long-term value choice. A less considered advantage of epoxy resin flooring is its ability to include anti slip contours by sprinkling sand onto damp body coatings during application. This is an important aspect of commercial or industrial spaces, as the safety of occupants should always be a top priority.

Features Of Coloured Concrete Floor Paint:

1. Excellent physical characteristics
2. Solvent based coating systems
3. Odorless, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant coating

Advantages Of Coloured Concrete Floor Paint:

The chemical and acid resistant epoxy phenolic resin coating kit is a two layer acid and chemical resistant phenolic resin coating system. The characteristic of this system is a layer of reinforced epoxy phenolic varnish primer, followed by a layer of phenolic varnish topcoat. This 2-layer floor coating system is very suitable for use in harsh environments where chemical/acid resistance is crucial. We recommend using it in chemical plants, breweries, wineries, breweries, processing plants, battery storage rooms, chrome plating facilities, and other similar applications. This 2-layer coating is designed for applications that frequently experience splashes/spills of acids, chemicals, and solvents. By allowing the primer to "grab" the concrete and then bonding the topcoat to the primer, a super strong and efficient floor coating is formed, thereby enhancing the strength of the floor. This type of floor can also withstand normal wear and tear, impact drops, pH cleaners, liquids, and any other substances that may enter the floor. It is very easy to clean, just use a mop or wet vacuum cleaner, and quickly make your floor look new.

Product Descriptions Of Coloured Concrete Floor Paint:

Item	Epoxy Base Material(A)	Epoxy Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China