SGS Industrial Epoxy Floor Coating High Gloss Solvent Based Floor Paint

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 300KG
- Price:
- Packaging Details:
- Delivery Time:
- 3-7 Working days • Payment Terms: T/T, Western Union, MoneyGram

CHINA

CREKOAT

CK-PT4001

US\$3.5-5.5/Kg

1000000 Ton/Year

Bottle/Carton/Wooden Box

SGS, TDS, MSDS

• Supply Ability:



Product Specification

- Commercial Names:
- Proper:
- Materials:
- . Key Words:
- · Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:
- Chemical Resistant Concrete Coating Less Smell When Applied Epoxy Resin And Hardener Seamless, High Gloss Finish
- Wood, Brick, Ceramic, Concrete
 - 4:1 By Weight
 - 30 Minutes
 - 12 Months
 - High Gloss Solvent Based Floor Paint, Solvent Based Industrial Epoxy Floor Coating, SGS Industrial Epoxy Floor Coating



More Images



for more products please visit us on epoxyresinfloorcoating.com

High Gloss Solvent Based Floor Paint Industrial Epoxy Floor Coating

Quick Details Of Solvent Based Floor Paint:

Floor coating is a surface coating used to protect concrete floors that are expected to experience severe surface wear or corrosion. They can also be used to illuminate, define, and beautify areas of facilities or buildings. Common types of floor coatings include epoxy resin, MMA, polyaspartic acid, and urethane. Our industrial epoxy floor coating is a high-quality and economical resin epoxy floor system. It provides an attractive high gloss finish of commercial quality epoxy resin, as well as strength and durability related to industrial grade epoxy resin. This makes it the perfect choice for almost any indoor space. Industrial epoxy floor coatings have multiple colors and low yellowing options, making them one of our most popular epoxy floor products.

Features Of Solvent Based Floor Paint:

- 1. Unparalleled abrasion resistant coatings
- 2. Moisture vapor mitigation available
- 3. Odorless, Non-flammable
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant coating

Advantages Of Solvent Based Floor Paint:

The chemical and acid resistant epoxy phenolic resin coating kit is a two layer acid and chemical resistant phenolic resin coating system. The characteristic of this system is a layer of reinforced epoxy phenolic varnish primer, followed by a layer of phenolic varnish topcoat. This 2-layer floor coating system is very suitable for use in harsh environments where chemical/acid resistance is crucial. We recommend using it in chemical plants, breweries, wineries, breweries, processing plants, battery storage rooms, chrome plating facilities, and other similar applications. This 2-layer coating is designed for applications that frequently experience splashes/spills of acids, chemicals, and solvents. By allowing the primer to "grab" the concrete and then bonding the topcoat to the primer, a super strong and efficient floor coating is formed, thereby enhancing the strength of the floor. This type of floor can also withstand normal wear and tear, impact drops, pH cleaners, liquids, and any other substances that may enter the floor. It is very easy to clean, just use a mop or wet vacuum cleaner, and quickly make your floor look new.

Product Descriptions Of Solvent Based Floor Paint:

Item	Epoxy Base Material(A)	Epoxy Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25 °C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3Н	
Pot Life	30-40mins@25ºC	
Curing Time	16-24hrs@25ºC, 12-15hrs@35ºC	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China