

100% Solid Decorative Garage Floor Coatings High Gloss Transparent Epoxy Resin

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-PT4001
- Minimum Order Quantity: 300KG
- Price: US\$3.5-5.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Commercial Code: Chemical Resistant Epoxy Coating
- Illustrative: Long-lasting Professional Appearance
- Materials: Epoxy Resin And Hardener
- Key Words: Seamless, High Gloss Finish
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 4:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Solid Decorative Garage Floor Coatings, Transparent Epoxy Resin Garage Floor Coatings**



Product Description

100% Solid Decorative Garage Floor Coatings High Gloss Transparent Epoxy Resin

Quick Details Of Decorative Garage Floor Coatings:

Our Industrial Epoxy Floor Coating offers a range of formulations tailored to diverse needs, ensuring both application ease and top-notch results. With options for lower and higher viscosity applications, our epoxy resin enhances air release, expedites curing, and bolsters UV resistance. Available in High Gloss Transparent and High Gloss Colored variations, it provides full flexibility in floor appearance. All formulations promise wear and chemical resistance. Our Low-Yellowing option minimizes indoor lighting impact, ideal for indoor spaces, maintaining floor cleanliness with easy water-based cleaning. However, it's not recommended for outdoor or high-sunlight areas.

Features Of Decorative Garage Floor Coatings:

1. Offers a range of formulations suitable for various viscosity needs
2. Improving air release, curing time, and UV resistance
3. Available in High Gloss Transparent and Colored variations
4. Full flexibility in achieving desired floor aesthetics
5. ensuring durability in industrial settings
6. The specialized Low-Yellowing formula minimizes indoor lighting impact

Advantages Of Decorative Garage Floor Coatings:

The chemical and acid resistant epoxy phenolic resin coating kit is a two layer acid and chemical resistant phenolic resin coating system. The characteristic of this system is a layer of reinforced epoxy phenolic varnish primer, followed by a layer of phenolic varnish topcoat. This 2-layer floor coating system is very suitable for use in harsh environments where chemical/acid resistance is crucial. We recommend using it in chemical plants, breweries, wineries, breweries, processing plants, battery storage rooms, chrome plating facilities, and other similar applications. This 2-layer coating is designed for applications that frequently experience splashes/spills of acids, chemicals, and solvents. By allowing the primer to "grab" the concrete and then bonding the topcoat to the primer, a super strong and efficient floor coating is formed, thereby enhancing the strength of the floor. This type of floor can also withstand normal wear and tear, impact drops, pH cleaners, liquids, and any other substances that may enter the floor. It is very easy to clean, just use a mop or wet vacuum cleaner, and quickly make your floor look new.

Product Descriptions Of Decorative Garage Floor Coatings:

Item	Epoxy Base Material(A)	Epoxy Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China