

Acrylic Flakes Epoxy Resin Floor Coating For Shopping Centers And Homes

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year




Product Specification

- Trading Name: Flake Flooring
- Standard: Paint Flakes For Concrete Floors
- Materials: Epoxy Resin And Hardener
- Key Words: Interior Or Exterior Use
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Acrylic Flakes Epoxy Resin Floor Coating , Shopping Center Epoxy Resin Floor Coating



More Images



Product Description

Acrylic Flakes Epoxy Resin Floor Coating For Shopping Centers And Homes

Quick Details Of Epoxy Resin Floor Coating:

Our material infuses an eclectic blend of decorative acrylic flakes within epoxy resin, creating a visually impressive surface designed to endure the rigors of bustling pedestrian traffic, industrial machinery, and commercial operations. Its decorative appeal is achieved by applying an epoxy primer before the chip layer, ensuring an eye-catching finish.

To ensure both a smooth appearance and robust durability, we apply a polyurethane topcoat, offering resilience and an aesthetic edge. Inspired by fashion-forward concepts, this thin film system doesn't compromise durability and remains effortless to clean and maintain, making it an ideal choice for high-traffic areas like garage floors, shopping centers, and residential spaces.

Features Of Epoxy Resin Floor Coating:

1. Engineered to withstand rigorous testing from high pedestrian traffic
2. Offering both aesthetic appeal and resilience against wear
3. Inspired by Fashion, Engineered for Durability
4. Ideal solution for high-traffic areas like garage floors
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant

Advantages Of Epoxy Resin Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Resin Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



