



## Slip Resistant Epoxy Resin Floor Coating Gray Color Flakes Concrete Paint

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year




### Product Specification

- Sales Designation: Epoxy With Flakes
- Conventional: Suitable For Uneven Surfaces
- Materials: Epoxy Resin And Hardener
- Key Words: Interior Or Exterior Use
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Slip Resistant Epoxy Resin Floor Coating, Gray Flakes Epoxy Resin Floor Coating**



### More Images



## Product Description

### Slip Resistant Epoxy Resin Floor Coating Gray Color Flakes Concrete Paint

#### Quick Details Of Epoxy Resin Floor Coating:

The initial step in incorporating epoxy resin paint flakes involves considering the foundational color of the concrete floor. If your intention is a complete coverage with paint flakes, the base color may be less critical. However, if you prefer a selective placement of paint flakes for added color variation, choosing basic colors is pivotal in determining the final appearance of the colored epoxy flooring.

For those opting to add epoxy flake coatings, starting with a neutral concrete floor in white, gray, or brown is recommended. Many individuals experiment by blending three or more colors to create their unique color schemes. A suggested approach is to begin with darker hues and gradually incorporate lighter and medium tones during the experimentation phase.

Following the application of the epoxy resin coating in the basic color, applying a thinner topcoat can introduce texture to the concrete floor. Conversely, a thicker topcoat contributes to a smoother surface.

#### Features Of Epoxy Resin Floor Coating:

1. Strong resistance to chemicals, oil, dirt
2. Slip-resistant finish
3. Odorless, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant

#### Advantages Of Epoxy Resin Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

#### Product Descriptions Of Epoxy Resin Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



Guangdong Crekoat New Materials Co., Ltd.



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

