Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-FL2001 • Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box · Packaging Details:

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

· Sales Description: Glass Flake Epoxy

· Representative: Stand Up To The Heavy Foot Traffic

· Materials: Epoxy Resin And Hardener Interior Or Exterior Use . Key Words:

· Application: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 2:1 By Weight Pot Life: 30 Minutes Shelf Life: 12 Months

• Highlight: Colorful Flakes Epoxy Resin Floor Coating, Marble Granite Epoxy Resin Floor Coating

CREKOAT

More Images







Product Description

Colorful Flakes Epoxy Resin Floor Coating Marble Granite Appearance For Garage

Quick Details Of Epoxy Resin Floor Coating:

It is undeniable that the colorful epoxy resin flooring is very attractive. With so many unique color combinations and patterns to choose from, epoxy flake coatings have great visual appeal and can help you add investment value to any room. Based on the specific color and texture you choose, you can use epoxy resin coating flakes that mimic granite or marble to create an appearance at a small cost.

The concrete floor with epoxy resin paint flakes is easy to maintain. You can complete garage projects and store activities on it without worrying about damaging or dirtying it. Epoxy resin floor coating provides excellent floor protection by making concrete floors slip resistant and resistant to chemical leaks, scratches, and other types of damage. The epoxy resin floor coating improves traction and enhances the safety of the garage.

Features Of Epoxy Resin Floor Coating:

- 1. Ideal for high traffic areas
- 2. High resistance to impact and abrasion
- 3. Odorless, non-flammable
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant

Advantages Of Epoxy Resin Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Resin Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China