Unique Decorative Flakes Epoxy Resin Floor Coating For Home And Industrial

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-FL2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Formal Designation:
 Flake Floor Epoxy

Emblematic: Easy To Clean, Oil Tolerant
 Materials: Epoxy Resin And Hardener
 Key Words: Interior Or Exterior Use

Application: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 30 MinutesShelf Life: 12 Months

• Highlight: Decorative Flakes Epoxy Resin Floor Coating,

Industrial Epoxy Resin Floor Coating



More Images







Product Description

Unique Decorative Flakes Epoxy Resin Floor Coating For Home And Industrial Use

Quick Details Of Epoxy Resin Floor Coating:

The resin coated epoxy flake flooring system allows you to create fully customized epoxy flooring. This system has all the advantages of our best-selling epoxy floor coating, as well as the additional appeal of unique decorative flakes. The flake creates a smooth appearance, easy to clean, and has industrial strength, making it an ideal choice for heavy pedestrian and vehicle traffic.

The epoxy flake system is a sturdy industrial coating with a high level of durability, making it very suitable for home and industrial use. The floor will look great in any garage floor, exhibition hall, gym, and any other industrial space. Our system makes concrete flooring look very attractive while also providing high-quality finishes. The primer and topcoat are composed of our best-selling epoxy floor coatings.

Features Of Epoxy Resin Floor Coating:

- 1. Rapidly installed at a moderate cost
- 2. Resistant to many chemicals
- 3. Odorless, non-flammable
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant

Advantages Of Epoxy Resin Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Resin Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars;	
	Commercial Use - Shopping malls and boutiques; Hotels; Offices;	
	Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops.	
	Residential Use – Entrances and hallways; basements;	
	entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China