Odorless Water Resistant Epoxy Flake Coating Decorative Color Chips For Paint Garage Or Driveway Floor

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-FL2001
Minimum Order Quantity: 300KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Official Name: Epoxy Paint Flakes

Classical: 100% Solids, 2-Component
 Materials: Epoxy Resin And Hardener
 Key Words: Interior Or Exterior Use

Application: Wood, Brick, Ceramic, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 30 MinutesShelf Life: 12 Months

• Highlight: Water Resistant Epoxy Flake Coating,

Odorless Epoxy Flake Coating

CREKOAT

More Images







Product Description

Epoxy Flake Coating Decorative Color Chips For Paint Garage Or Driveway Floor

Quick Details Of Epoxy Flake Coating:

Do you plan to enhance your garage or driveway floor with something durable and able to withstand heavier loads? Have you considered epoxy flake coating? It will give the area a unique and modern appearance while ensuring the lifespan of the flooring. Epoxy flake coating is a new advanced multi-layer floor finish or floor covering technology that uses paint, metallic or vinyl based dry flakes or chips, and a base coating to create a smooth, durable, and multi-color finish. The flake floor jacket comes in various sizes, colors, styles, and textures, and can be customized according to any space and preferences of the owner. This is a practical and universal chemical solution with high impact resistance, chemical resistance and scratch resistance, making it a good choice for household and industrial use.

Features Of Epoxy Flake Coating:

- 1. Moisture blocking ability built in
- 2. Fast curing, VOC compliant
- 3. Odorless, non-flammable
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Tough, high gloss, water resistant

Advantages Of Epoxy Flake Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	600-800 mPa⋅s	50-150
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars;	
	Commercial Use - Shopping malls and boutiques; Hotels; Offices;	
	Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops.	
	Residential Use – Entrances and hallways; basements;	
	entertainment rooms; bathrooms; kitchens and living rooms;	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China