

Fast Curing Flake Epoxy Floor Coating For Commercial And Industrial Flooring

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 300KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Formal Title: Epoxy Multi Flake Coating
- Expected: Durable And Unique Looking
- Materials: Epoxy Resin And Hardener
- Key Words: Interior Or Exterior Use
- Application: Wood, Brick, Ceramic, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Fast Curing Flake Epoxy Floor Coating, Commercial Flake Epoxy Floor Coating**



More Images



Product Description

Fast Curing Flake Epoxy Floor Coating For Commercial And Industrial Flooring

Quick Details Of Flake Epoxy Floor Coating:

Epoxy flake coatings are becoming a popular choice for customized floor finishes. Epoxy flake coatings have versatility and a range of colors, textures, patterns, and designs, achieving great aesthetic appeal. It only requires some creativity to create an attractive floor finish. It doesn't require much maintenance. The best way to maintain epoxy flake coated flooring is through simple standard cleaning, whether using a mop, broom, scrub, or vacuum cleaner, as well as soap and detergent. It has high resistance to chemicals, impacts, dirt, moisture, and scratches, making the floor easy to clean. Another advantage of epoxy flake coating is its anti slip properties. This is an important function required by many commercial and industrial venues to ensure the safety of employees and customers.

Features Of Flake Epoxy Floor Coating:

1. Withstand heavy loads and daily abuse
2. Solvent-free resins, Eco-friendly
3. Odorless, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Tough, high gloss, water resistant

Advantages Of Flake Epoxy Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Flake Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages; Warehouses; Airports and hangars; Commercial Use - Shopping malls and boutiques; Hotels; Offices; Showrooms; Restaurants; Hospitals; Schools; Bar Tops, Table Tops. Residential Use – Entrances and hallways; basements; entertainment rooms; bathrooms; kitchens and living rooms;	



Guangdong Crekoat New Materials Co., Ltd.



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

