Universal Clear Epoxy Resin High Gloss Finish For Tabletops Bar Countertops

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Administrative Name: Casting Resin

• Prevalent: 1:1 Epoxy Resin

Materials: Crystal Clear Epoxy ResinKey Words: Ultra Clear Art Resin

Application: Casting, Coating And Art Projects

Mixing Ratio: 1:1 By VolumePot Life: 30 MinutesShelf Life: 12 Months


• Highlight: Universal Clear Epoxy Resin,

High Gloss Finish Clear Epoxy Resin



More Images







Product Description

Universal Clear Epoxy Resin High Gloss Finish For Tabletops Bar Countertops

Quick Details Of Clear Epoxy Resin:

Our universal crystal clear epoxy resin is a transparent polymer that can cure into a bright, high gloss surface. It is used to coat wood, veneers, metals, stones, painted surfaces, tabletops, bar countertops, and many other surfaces to provide a rich, super gloss appearance and prevent scratches and air humidity.

The surface coated with this universal epoxy resin is durable, waterproof, and easy to care for. The finished product will be very hard, smooth, clear, and exhibit a bright, high gloss surface similar to glass. Our epoxy resin provides rapid curing and performance development in the environment and at low temperatures, without the need for accelerators, and allows for rapid recovery from use.

Features Of Clear Epoxy Resin:

- 1. Fully self leveling at room temperature
- 2. Special UV absorbers and stabilizers
- 3. Ultra transparent art resin and crafting kit
- 4. Highest UV protection, Anti Yellowing
- 5. Free of solvents, VOC/BPA Free & Odorless
- 6. Best For Professionals and Enthusiasts

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	30-40mins@25°C, for 100g	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting	
	Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry,	
	Coating Artwork and Acrylic Pour Paintings, Geode Paintings,	
	Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China