High Viscosity Deep Pour Clear Epoxy Resin Casting Silicone Molds Bars **Tabletops Countertops**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

CREKOAT SGS, TDS, MSDS

Bottle/Carton/Wooden Box

US\$4.5-7.5/Kg

3-7 Working days

1000000 Ton/Year

CHINA

- CK-ART1001
- 400KG

- - T/T, Western Union, MoneyGram
- Supply Ability:





Product Specification

- Canonical Name:
- Simple:
- Materials:
- . Key Words:
- · Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Liquid Glass Epoxy Resin 1:1 Mix Ratio Epoxy Resin
- Crystal Clear Epoxy Resin
- Water Clear, High Gloss Finish
- Casting, Coating And Art Projects
- 1:1 By Volume
- 40 Minutes
- 12 Months
- High Viscosity Clear Epoxy Resin, **Tabletops Clear Epoxy Resin**

CREKOAT



More Images







for more products please visit us on epoxyresinfloorcoating.com

Deep Pour Clear Epoxy Resin Casting Silicone Molds Bars Tabletops Countertops

Quick Details Of Clear Epoxy Resin:

Deep pour epoxy resin is the best method to solve 3D casting and packaging projects! For larger applications, pour a single layer of resin with a thickness not exceeding 1/2 ", and for smaller silicone molds, pour a maximum thickness of resin not exceeding 1". Our transparent cast epoxy resin kit can create a transparent liquid glass like finish on bars, tabletops, and countertops, embedded with your favorite items and photos. Cured epoxy resin does not contain bisphenol A, making it safer for surfaces in contact with food. Deep pour epoxy resin is also suitable for deep casting and molding projects to create unique sculptures, statues, jewelry, and more.

Features Of Clear Epoxy Resin:

- 1. Pour epoxy resin up to 1 inch deep
- 2. Easy to use, simple 1:1 mixing ratio
- 3. Suitable for casting and river tables
- 4. Highest UV protection, Anti yellowing
- 5. Free of solvents, VOC/BPA free
 6. Best for professionals and enthusiasts

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio selfleveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

| Item | Epoxy Resin(A) | Hardener(B) |
|----------------|---|---------------|
| Appearance | Liquid | Liquid |
| Color | Transparent | Transparent |
| Viscosity@25ºC | 1800-2200 mPa·s | 600-800 mPa·s |
| Density, g/cm3 | 1.07±0.05 | 0.95±0.03 |
| Mix Ratio | 1:1 by volume | |
| Hardness | Shore, D85-90 | |
| Pot Life | 40-50mins@25°C | |
| Curing Time | 10-15hrs@25ºC, 6-8hrs@35ºC | |
| | 24hrs, Dry Completely | |
| Max Pour Depth | 1-8cm max per single pour | |
| Shelf Life | 12 Months | |
| Application | Ideal for all Casting, Coating and Art Projects including Cutting | |
| | Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, | |
| | Coating Artwork and Acrylic Pour Paintings, Geode Paintings, | |
| | Molds, River Tables | |





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China