High Gloss Art Clear Epoxy Resin UV Protection 1:1 Mixing Ratio By Volume

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 1000000 Ton/Year



Product Specification

• Legitimate Name: Clear Epoxy

• True To Type: Deep Pour Resin

Materials: Crystal Clear Epoxy Resin
Key Words: Water Clear, High Gloss Finish
Application: Casting, Coating And Art Projects

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

Highlight: High Gloss Art Clear Epoxy Resin,
Clear Epoxy Resin UV Protection



More Images







Product Description

Art Resin Clear Epoxy Resin UV Protection 1:1 Mixing Ratio By Volume

Quick Details Of Clear Epoxy Resin:

Through the use of unique additives, our clear epoxy resin offers a distinctive feature of self-exhaustion at room temperature. This remarkable quality ensures the disappearance of all bubbles before the chemical curing process is completed, eliminating the need for a blowtorch or hot air gun to remove bubbles. Moreover, this method prevents the risk of soot stains on the resin, maintaining its pristine appearance. Our art resin stands out as the clearest epoxy resin available in the market. With specialized UV absorbers and UV stabilizers, it delivers the highest level of UV protection achievable among epoxy resins. This meticulous design effectively combats the yellowing effect caused by ultraviolet radiation, ensuring long-lasting clarity and preserving the original aesthetics of your creations.

Features Of Clear Epoxy Resin:

- 1. Simple 1 parts resin to 1 part hardener mix ratio
- 2. Low-VOC, low-odor formula
- 3. Suitable for casting and river tables
- 4. Highest UV protection, Anti yellowing
- 5. Free of solvents, VOC/BPA free
- 6. Best for professionals and enthusiasts

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China