Countertops Clear Epoxy Resin Self Leveling Casting Resin Deep

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Regular Name: Epoxy Clear Coat

Universal: Self-Leveling Epoxy Resin
Materials: Crystal Clear Epoxy Resin
Key Words: Water Clear, High Gloss Finish
Application: Casting, Coating And Art Projects

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Countertops Clear Epoxy Resin,

Self Leveling Clear Epoxy Resin, Deep Pour Clear Epoxy Resin



More Images









Product Description

Countertops Clear Epoxy Resin Transparent Casting Resin Deep Pour

Quick Details Of Clear Epoxy Resin:

The deep pour epoxy resin system is very suitable for customizing artworks on bar tops, countertops, tabletops, kitchen islands, kitchen counters, and tavern tables. This transparent casting resin can be used to make paperweights, lampholders, chess, sculptures, jewelry - no matter what you like! Deep pour epoxy resin can easily achieve excellent results, even if you have never used epoxy resin before. Just carefully measure, stir thoroughly, and slowly pour into the prepared surface or mold. The key is to use multi-layer and step-by-step pouring. This means that when the previous layer has cooled but is soft enough to be retracted with nails, pour the next layer directly onto it.

Features Of Clear Epoxy Resin:

- 1. Ideal for colored and crystal-clear castings
- 2. Casting up to 3/4"
- 3. Suitable for casting and river tables
- 4. Highest UV protection, Anti yellowing
- 5. Free of solvents, VOC/BPA free
- 6. Useable on wood, concrete, glass and more

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa⋅s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China