

Crystal Clear Epoxy Resin For Casting Coating Anti Yellowing BPA Free

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-ART1001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-7.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Representative Name: Super Clear Epoxy
- Typically: Liquid Glass-Like Finish
- Materials: Crystal Clear Epoxy Resin
- Key Words: Water Clear, High Gloss Finish
- Application: Casting, Coating And Art Projects
- Mixing Ratio: 1:1 By Volume
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Crystal Clear Epoxy Resin, Anti Yellowing Crystal Clear Epoxy Resin, BPA Free Crystal Clear Epoxy Resin



More Images



Product Description

Crystal Clear Epoxy Resin For All Casting And Coating

Quick Details Of Clear Epoxy Resin:

Transparent epoxy resin suitable for all casting and coating applications. When solidified, it is crystal clear and hard as rock, with a high gloss formula to create a perfectly transparent surface. Our resin has the characteristics of self leveling, self degassing, low odor, non-toxic (food safety), and smoke free. It also contains ultraviolet stabilizers and advanced anti yellowing additives, making it durable and long-lasting. Easy mixing with a 1:1 ratio means that your mixing will not go wrong. Carefully and thoroughly avoid the formation of foam, the kit is enough to cover about 25.6 square feet. The working time is 30-40 minutes, and the curing time is 24 hours.

Features Of Clear Epoxy Resin:

1. Perfect for jewelry, coasters, tumblers
2. Water-clear, high-gloss, low-viscosity
3. Suitable for casting and river tables
4. Highest UV protection, anti yellowing
5. Free of solvents, VOC/BPA free
6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C 24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China