Low VOC Self Leveling Clear Epoxy Resin For Craft Jewelry Canvas Painting

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
 Model Number: CK-ART1001
 Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

True Name: Clear Casting Resin
 Unique: BPA Free, Low VOC
 Materials: Crystal Clear Epoxy Resin
 Key Words: Self Leveling, Self Degassing
 Application: Casting, Coating And Art Projects

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Low VOC Clear Epoxy Resin,

Craft Jewelry Painting Clear Epoxy Resin

CREKOAT



More Images







Product Description

Self Leveling Clear Epoxy Resin For Craft Jewelry Canvas Painting

Quick Details Of Clear Epoxy Resin:

Opt for our clear epoxy resin, ideal for both casting and coating applications, delivering a crystal-clear and stone-like hardness. Rigorously tested to impeccably complement our luminous and craft pigments, our resin guarantees seamless integration with various materials. With attributes such as self-leveling, self-degassing, odorlessness, and UV-yellowing resistance, our product is proudly manufactured in China. Tailored for diverse creative pursuits, our resin finds exceptional utility in jewelry production, handicraft decoration, packaging embellishments, clothing accessories, cast statues, and resin canvas painting. Its compatibility extends to an array of hand pigments like epoxy dye, luminous pigments, mica, and alcohol ink, ensuring a perfect blend and stunning results across artistic endeavors.

Features Of Clear Epoxy Resin:

- 1. Long working time to use
- 2. Without fogging or yellowing
- 3. Free of solvents, VOC/BPA free
- 4. Highest UV protection, anti yellowing
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa·s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China