Top Coat Clear Water Resistant Epoxy Resin For Tables Bars

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
 Model Number: CK-ART1001
 Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Business Name: Clear Epoxy For Wood
 Perfect: Food Safe Epoxy Resin
 Materials: Crystal Clear Epoxy Resin
 Key Words: Self Leveling, Self Degassing
 Application: Casting, Coating And Art

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

Highlight: Top Coat Water Resistant Epoxy Resin,
 Water Resistant Epoxy Resin Clear



More Images







Product Description

Top Coat Clear Epoxy Resin Casting For For Coating Tables And Bars

Quick Details Of Clear Epoxy Resin:

Our clear cast and coating epoxy resin top coat is food safe and complies with FDA regulations (CFR 21 175.300). The 1:1 mixing ratio calculated by volume is foolproof and has a working time of 40 minutes, used for coating tables and bars, encapsulating items, casting statues and jewelry, and making resin paintings Artists and creators from around the world use our products for their most important projects. After seeing many of our customers using our products in resin projects, we decided to eliminate speculation by creating our own epoxy mixture, which is specifically used for all of our pigments! Our epoxy resin is a crystal clear resin system that can be poured deeper than traditional epoxy resins, making it an ideal choice for casting, river tables, and slab casting.

Features Of Clear Epoxy Resin:

- 1. Easy to tint with coloring agents
- 2. Durable, cured epoxy surface
- 3. Free of solvents, VOC/BPA free
- 4. Resistant to yellowing from UV exposure
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass and more

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling, self degassing, odor free product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China