VOC Free Tabletop Clear Cast Epoxy Resin For Protecting Surfaces

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 1000000 Ton/Year



Product Specification

Proper Noun: Casting Epoxy Resin Popular: Top Coat Epoxy

Materials: Crystal Clear Epoxy Resin
Key Words: Self Leveling, Self Degassing
Application: Casting, Coating And Art

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

Highlight: Tabletop Clear Cast Epoxy Resin,
VOC Free Clear Cast Epoxy Resin



More Images







Product Description

Tabletop Clear Epoxy Resin Best Choice For Protecting The Surfaces

Quick Details Of Clear Epoxy Resin:

The undeniable fact is that epoxy resin coating is the best choice for protecting the surfaces of tabletop, countertops, and bar tops. However, due to the large number of epoxy resin products available in the current market, you may find it difficult to choose the best transparent epoxy resin for your project.

Choose Crekoat epoxy resin, which can be applied to different types of materials, such as wood, metal, concrete, granite, marble, porcelain, ceramics, quartz, laminated materials, and bamboo. The higher the compatibility level, the better for you. You can use the same epoxy resin on tabletops, kitchen countertops, bathroom countertops, bar countertops, and floors, even if they are made of different materials.

Features Of Clear Epoxy Resin:

- 1. Durable beauty that lasts a lifetime
- 2. Easy for beginners to get great results
- 3. Free of solvents, VOC/BPA free
- 4. Resistant to yellowing from UV exposure
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass and more

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling, self degassing, odor free product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25°C, 6-8hrs@35°C	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China