Heat Resistant Clear Epoxy Resin Coating For Kitchen Countertops

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
 Model Number: CK-ART1001
 Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Appellation: Deep Pour Epoxy Resins
Accepted: 100% Solid High Build

Key Words: Self Leveling, Self Degassing
 Materials: Crystal Clear Epoxy Resin
 Application: Casting, Coating And Art

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

Highlight: Heat Resistant Clear Epoxy Resin Coating,
 Kitchen Countertop Clear Epoxy Resin Coating



More Images







Product Description

Heat Resistant Clear Epoxy Resin Coating For Kitchen Countertops

Quick Details Of Clear Epoxy Resin:

For your project, especially for kitchen countertops and deli board projects, the best clear epoxy resin is heat-resistant. Ideally, it should be able to withstand temperatures up to 135 °F. It is crucial to evaluate the surface type that needs to be coated with epoxy resin. The heat resistance of epoxy resin products should be compatible with their application and surface properties. This is undoubtedly the most important factor you should consider when choosing the best transparent epoxy resin for your hands-on project. Looking for epoxy resins that are scratch resistant and have a Shore D hardness level of 90 or higher. It is the best indicator of epoxy resin durability.

Features Of Clear Epoxy Resin:

- 1. Compatibility with different materials
- 2. Hardness and durability, heat resistance
- 3. Free of solvents, VOC/BPA free
- 4. Resistant to yellowing from UV exposure
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass and more

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling, self degassing, odor free clear epoxy resin product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin artworks, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	1800-2200 mPa·s	600-800 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by volume	
Hardness	Shore, D85-90	
Pot Life	40-50mins@25°C	
Curing Time	10-15hrs@25ºC, 6-8hrs@35ºC	
	24hrs, Dry Completely	
Max Pour Depth	1-8cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China