# **Versatile Clear Epoxy Resin For Painting Fiberglass Lamination**

### **Basic Information**

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-ART1001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



# **Product Specification**

• Right Name: Crystal Clear Epoxy Resin

Essential: Deep Pouring Epoxy

Key Words: Self Leveling, Self Degassing
Materials: Crystal Clear Epoxy Resin
Application: Casting, Coating And Art

Mixing Ratio: 1:1 By VolumePot Life: 40 MinutesShelf Life: 12 Months

• Highlight: Versatile Clear Epoxy Resin,

Fiberglass Lamination Clear Epoxy Resin



## More Images







### **Product Description**

#### Versatile Clear Epoxy Resin For Resin Painting Fiberglass Lamination

#### Quick Details Of Clear Epoxy Resin:

CK-ART1001 is a versatile high gloss clear epoxy resin designed for a wide range of applications including bar countertops, tabletops, resin art, fiberglass lamination, casting transparent models, prototypes, jewelry, and more. This professional-grade, two-part epoxy resin and hardener combination produces a glass-like surface that retains its transparency without yellowing over time. Each order includes detailed instructions for ease of use.

Our epoxy resin features added ultraviolet inhibitors, offering superior resistance against yellowing compared to many other epoxy resins. However, it's important to note that all epoxy resins may gradually yellow when exposed to direct sunlight. To preserve the transparency of the resin, it is advisable to avoid direct sunlight exposure whenever possible.

#### Features Of Clear Epoxy Resin:

- 1. Excellent Air Release
- 2. UV Resistant Formula
- 3. Free of solvents, VOC/BPA free
- 4. Resistant to yellowing from UV exposure
- 5. Durable, water-clear, high-gloss finish
- 6. Useable on wood, concrete, glass and more

#### Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling, self degassing product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This clear epoxy resin product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

#### **Product Descriptions Of Clear Epoxy Resin:**

| Item           | Epoxy Resin(A)   | Hardener(B)   |
|----------------|--|---------------|
| Appearance     | Liquid   | Liquid        |
| Color          | Transparent  | Transparent   |
| Viscosity@25ºC | 1800-2200 mPa·s  | 600-800 mPa⋅s |
| Density, g/cm3 | 1.07±0.05  | 0.95±0.03     |
| Mix Ratio      | 1:1 by volume  |               |
| Hardness       | Shore, D85-90  |               |
| Pot Life       | 40-50mins@25°C   |               |
| Curing Time    | 10-15hrs@25°C, 6-8hrs@35°C   |               |
|                | 24hrs, Dry Completely  |               |
| Max Pour Depth | 1-8cm max per single pour  |               |
| Shelf Life     | 12 Months  |               |
| Application    | Ideal for all Casting, Coating and Art Projects including Cutting Boards,    |               |
|                | Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and |               |
|                | Acrylic Pour Paintings, Geode Paintings, Molds, River Tables                 |               |







( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China