

General Clear Epoxy Resin Transparent Coating For Art And Craft

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-ART1001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-7.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year

CREKOAT



Product Specification

- Marking: Crystal Epoxy Resin
- Different: UV Resistant, 100% Solids
- Materials: Crystal Clear Epoxy Resin
- Key Words: Self Leveling, Self Degassing
- Mixing Ratio: 1:1 By Volume
- Application: Casting, Coating And Art
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **General Clear Epoxy Resin,
Clear Epoxy Resin Transparent Coating**

CREKOAT



Product Description

General Use Clear Epoxy Resin Transparent Coating For Art And Craft

Quick Details Of Clear Epoxy Resin:

When you are an artist who enjoys making jewelry, decorating realistic landscapes, or customizing art and craft projects, you know that the resin you use can have a significant impact on the final result. That's why we have created the best general use resin for all your DIY designs. This is an advanced high gloss, transparent coating formula that can more effectively bond the surface together or coat your artwork more smoothly, while providing a crystal clear surface that makes the artwork and colors shine. New formula: demolding takes only 4 hours and complete curing takes only 8-10 hours. 1: 1 epoxy resin with hardener, perfect for creating artwork for your house or as a gift for friends.

Features Of Clear Epoxy Resin:

1. Bonds well, strong and durable
2. Excellent gloss and clarity
3. Free of solvents, VOC/BPA free
4. Highest UV protection, anti yellowing
5. Durable, water-clear, high-gloss finish
6. Useable on wood, concrete, glass

Advantages Of Clear Epoxy Resin:

CK-ART1001 A High Viscosity Epoxy Resin, designed for coating and creative applications. An easy to measure 1:1 ratio self-leveling product, with excellent air release properties, is UV Stable, low in VOC's and in odour. This product has been designed to add a diamond-like finish to your resin art, acrylic pours, mosaics, photographs, prints, timber surfaces, sculptures, and more. Can be applied by pouring, brushing on, or with a roller to substrates such as Art Boards, MDF, acrylic sheet, concrete, metal, wood and more.

Product Descriptions Of Clear Epoxy Resin:

| Item | Epoxy Resin(A) | Hardener(B) |
|----------------------------|---|---------------|
| Appearance | Liquid | Liquid |
| Color | Transparent | Transparent |
| Viscosity@25°C | 1800-2200 mPa·s | 600-800 mPa·s |
| Density, g/cm ³ | 1.07±0.05 | 0.95±0.03 |
| Mix Ratio | 1:1 by volume | |
| Hardness | Shore, D85-90 | |
| Pot Life | 40-50mins@25°C | |
| Curing Time | 10-15hrs@25°C, 6-8hrs@35°C 24hrs, Dry Completely | |
| Max Pour Depth | 1-8cm max per single pour | |
| Shelf Life | 12 Months | |
| Application | Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables | |





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China