

Two Component Deep Pour Epoxy Resin Heat And Chemical Resistance

Basic Information

Place of Origin: CHINABrand Name: CREKOAT

Certification: SGS, TDS, MSDS
Model Number: CK-DP2001
Minimum Order Quantity: 400KG

• Price: US\$4.5-7.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Labeling: Clear Epoxy Table Resin
Fantastic: Low Viscosity Epoxy Resin
Key Words: Bubble Free, Crystal Clear
Materials: Liquid Glass Epoxy Resin

Mixing Ratio: 2:1 By Weight

• Application: Casting, Coating And Art

Pot Life: 60 MinutesShelf Life: 12 Months

Highlight: Two Component Deep Pour Epoxy Resin,
Deep Pour Epoxy Resin Chemical Resistance



Product Description

Two Component Deep Pour Epoxy Resin Heat And Chemical Resistance

Quick Details Of Deep Pour Epoxy Resin:

Epoxy resin is a two component synthetic resin that can be used for various purposes. Epoxy resin is produced by mixing two components that match each other. When liquid resin is mixed with a suitable hardener, a chemical reaction occurs. During processing, the resin is first liquid, then becomes gel, and then hardens. Depending on the resin system, this reaction requires a shorter or longer time, which has advantages in possible applications. The excellent properties of epoxy resin include good adhesion to almost all substrates, heat and chemical resistance, low moisture absorption, good corrosion resistance, and excellent electrical performance in the insulation field.

Features Of Deep Pour Epoxy Resin:

- 1. Low viscosity resin crystal clear
- 2. Good chemical resistance
- 3. Excellent defoaming formula
- 4. Highest yellowing resistance
- 5. Self-leveling & high gloss
- 6. Ideal for all casting and art projects

Advantages Of Deep Pour Epoxy Resin:

Deep pour epoxy resin produces a tough, no VOCs, low odor, high gloss, water and scratch resistant coating. Our deep pour epoxy resin is strong, transparent and fully UV resistant hard as a rock ensuring your artwork and DIY projects durable. Use our clear epoxy resin for all of your casting and coating applications. It can be used on canvas, tile, watercolor, rocks, photos, artwork and bamboo etc. Such as earrings, coffee table, ashtray, crystal glass, vehicle surface seal, river table and whatever you want!

Product Descriptions Of Deep Pour Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	400-600 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C	
	48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China