

Slow Curing Deep Pour Epoxy Resin 2 Parts 55mm Thick Resist Chemicals

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-DP2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-7.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Describe: Two Part Clear Epoxy
- Admirable: Self-Releases Air Bubbles
- Key Words: Bubble Free, Crystal Clear
- Materials: Liquid Glass Epoxy Resin
- Mixing Ratio: 2:1 By Weight
- Application: Casting, Coating And Art
- Pot Life: 60 Minutes
- Shelf Life: 12 Months
- Highlight: **Slow Curing Deep Pour Epoxy Resin, Deep Pour Epoxy Resin 2 Parts**



More Images



Product Description

Slow Curing Deep Pour Epoxy Resin 2 Parts 55mm Thick Resist Chemicals

Quick Details Of Deep Pour Epoxy Resin:

Deep casting resin is a slow curing epoxy resin with 2 parts (2 parts A and 1 part B) that, when mixed with a hardener B, forms a sturdy and hard finished product. Resins can resist most household chemicals and can withstand surface temperatures of around 90-105 ° C. The deep casting formula enables the product to be cast in large quantities of 55mm without generating exothermic heat. Very suitable for deep pouring. After pouring the product into the mold, let the resin precipitate, so that bubbles and foam float on the surface. Any residual bubbles or foam can be removed with a hot-air gun or blowtorch.

Features Of Deep Pour Epoxy Resin:

1. Good thermal stability and low shrinkage
2. Very durable and scratch resistant
3. Excellent defoaming formula
4. Highest yellowing resistance
5. Self-leveling & high gloss
6. Ideal for all casting and art projects

Advantages Of Deep Pour Epoxy Resin:

Deep Pour epoxy is a two part, crystal clear deep casting resin that is design for projects that require pouring thickness exceeding 2 ". Its convenient formula requires a 2:1 ratio, which will result in stunning projects with glass like finishes. You can even pour multiple thick layers with a depth over 2 inches. Customize your crafts with vibrant colors, such as glitter, mica powder, liquid dye and more! Deep Pour epoxy resin is perfect for a variety of unique projects, from river tables, live edge tables, furniture making, flower encapsulations and embedding, service trays, and so much more!

Product Descriptions Of Deep Pour Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	400-600 mPa·s	300-500 mPa·s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C 48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China