

Fiberglass Carbon Fiber Deep Pour Epoxy Resin Cast Live Edge Tabletop

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: SGS, TDS, MSDS
- Model Number: CK-DP2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-7.5/Kg
- Packaging Details: Bottle/Carton/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Note: Clear Coating For Table Tops
- Top-Notch: Bubble Free, Crystal Clear Castings
- Key Words: Bubble Free, Crystal Clear
- Materials: Liquid Glass Epoxy Resin
- Mixing Ratio: 2:1 By Weight
- Application: Casting, Coating And Art
- Pot Life: 60 Minutes
- Shelf Life: 12 Months
- Highlight: Carbon Fiber Deep Pour Epoxy Resin, Edge Tabletop Deep Pour Epoxy Resin



More Images



Product Description

Fiberglass Carbon Fiber Deep Pour Epoxy Resin Cast Live Edge Tabletop

Quick Details Of Deep Pour Epoxy Resin:

When selecting epoxy resin for river tables or live edge products, the intended use must be determined. If the river is very deep, 2 inches or deeper, it must be use deep pour resin or layered with table top epoxy resin. Most craftsmen choose to use thick casting resin to fill the river water. Because deep pouring of epoxy resin generates much less heat, it can be poured thicker. The maximum pouring depth for each application depends on the heat generated during the reaction. If the epoxy resin on the tabletop is poured too thick, heat will accumulate, leading to discoloration, cracking, and foaming of the epoxy resin. Therefore, the recommended maximum pouring depth for each application of epoxy resin is usually 2 inches.

Features Of Deep Pour Epoxy Resin:

1. Big objects, diorama making, figure pouring
2. For use with fiberglass, carbon fiber
3. Excellent defoaming formula
4. Highest yellowing resistance
5. Self-leveling & high gloss
6. Ideal for all casting and art projects

Advantages Of Deep Pour Epoxy Resin:

Deep Pour epoxy is a two part, crystal clear deep casting resin that is design for projects that require pouring thickness exceeding 2 ". Its convenient formula requires a 2:1 ratio, which will result in stunning projects with glass like finishes. You can even pour multiple thick layers with a depth over 2 inches. Customize your crafts with vibrant colors, such as glitter, mica powder, liquid dye and more! Deep Pour epoxy resin is perfect for a variety of unique projects, from river tables, live edge tables, furniture making, flower encapsulations and embedding, service trays, and so much more!

Product Descriptions Of Deep Pour Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	400-600 mPa·s	300-500 mPa·s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	50-60mins@25°C	
Curing Time	24-36hrs@25°C, 16-24hrs@35°C 48hrs, Dry Completely	
Max Pour Depth	10-20cm max per single pour	
Shelf Life	12 Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China