

Urethane Topcoats Metallic Epoxy Floor Coating For Commercial Restaurant

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Sort: Copper Epoxy Floors
- Remarkable: Industrial-Grade Flooring
- Key Words: 100% Solids Epoxy Resin
- Materials: Epoxy Clear Coat
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Commercial Restaurant Epoxy Floor Coating



Product Description

Urethane Topcoats Metallic Epoxy Floor Coating For Commercial Restaurant

Quick Details Of Metallic Epoxy Floor Coating:

Clear urethane and epoxy resin sealants and topcoats are used in most decorative concrete and metallic resin flooring systems to provide chemical and wear-resistant surfaces and protect the underlying flooring. According to the type of environment, the design of the concrete flooring system enables it to handle abuse and wear accordingly. For example, polyurethane cement is designated for commercial kitchens because they are abused, spilled, heated, and used daily, and their performance should be normal under these conditions. The restaurant requires a topcoat or concrete flooring system that can handle daily grease, food and beverage spills, pedestrian traffic, and more.

Features Of Metallic Epoxy Floor Coating:

1. Economical unique custom solution
2. Resists wear, punctures, abrasion
3. Custom colors and textures available
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China