

## Mica Pearl Metallic Epoxy Floor Coating Self-Leveling Low Odor

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



### Product Specification

- Description: Metallic Epoxy Concrete Floor
- Classic: Lustrous Floor Coatings
- Key Words: 100% Solids Epoxy Resin
- Materials: Epoxy Clear Coat
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Self Leveling Metallic Epoxy Floor Coating, Low Odor Metallic Epoxy Floor Coating, Mica Pearl Metallic Epoxy Floor Coating



## Product Description

### Mica Pearl Metallic Epoxy Floor Coating Self-Leveling Low Odor

#### Quick Details Of Metallic Epoxy Floor Coating:

Imagine the feathers of a hummingbird, and you can imagine the effect of a rainbow. When applied to epoxy resin coatings, the floor will change color based on the light source or viewpoint. Similar to rainbow, the pearl light is softer and has a color changing effect, similar to the luster of pearls or abalone shells. The effect of this light will remind you of the vitality through a prism or rainbow. Metallic and mica particles are excellent reflective materials. Increase or decrease the amount of flash by adjusting the number and size of nanoparticles in epoxy resin.

#### Features Of Metallic Epoxy Floor Coating:

1. Self-leveling & buildable
2. Low odor and Low VOC
3. Custom colors and textures available
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

#### Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

#### Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150 mPa·s
Density, g/cm <sup>3</sup>	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China