

CHINA

CREKOAT

TDS, MSDS CK-MTL2001

US\$4.5-6.5/Kg

1000000 Ton/Year

Bottle/Carton/Wooden Box

High End Black Metallic Epoxy Floor Coating Anti Slip For Home

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 400KG
- Price:
- Packaging Details:
- Delivery Time:
- 3-7 Working Days • Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability:



Product Specification

- Mark:
- Standard:
- . Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- Black Metallic Epoxy Floor Flooring Systems Used In Homes
- 100% Solids Epoxy Resin
- Clear Epoxy Resin
- Wood, Ceramic Tile, Concrete
- 2:1 By Weight
- 40 Minutes
- 12 Months
- Black Metallic Epoxy Floor Coating, Metallic Epoxy Floor Coating Anti Slip

CREKOAT

CREKOAT



Our Product Introduction

Product Description

High-End Black Metallic Epoxy Floor Anti Slip Coatings For Home

Quick Details Of Metallic Epoxy Floor Coating:

In places where most people tend to associate metallic epoxy flooring with high-end Car dealership and casinos, the use of metallic epoxy resin is much more than rumored. Although many people believe that metallic epoxy resin does not belong to households, it is becoming one of the most commonly used flooring systems in today's homes. There are many reasons for this, including the ultimate customization of metallic epoxy floor coatings and the modern appearance of metallic epoxy resin, which is not easy to scratch and wear, making it very suitable for families with pets and children. Anti slip is a perfect safety feature for many homeowners.

Features Of Metallic Epoxy Floor Coating:

- 1. Durable, and low maintenance
- 2. Completed quite quickly and easily
- 3. Custom colors and textures available
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

| Item | Epoxy Resin(A) | Hardener(B) |
|----------------|---|--------------|
| Appearance | Liquid | Liquid |
| Color | Transparent | Transparent |
| Viscosity@25ºC | 600-800 mPa⋅s | 50-150 mPa·s |
| Density, g/cm3 | 1.07±0.05 | 0.95±0.03 |
| Mix Ratio | 2:1 by weight | |
| Hardness | Shore, D80-85 | |
| Pot Life | 30-40mins@25ºC | |
| Curing Time | 8-12hrs@35ºC, 16-24hrs@25ºC | |
| | 24hrs, Dry Completely | |
| Thickness | 1-3 mm | |
| Shelf Life | 12 Months | |
| Application | Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, | |
| | kitchens and living rooms. | |



No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China