



Metallic Pearl Epoxy Resin Floor Coating For Homes Offices Showrooms

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-MTL2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Merchandise Name: Pearl Metallic Epoxy Floor
- Trait: Reflective Resilience
- Key Words: 100% Solids Content
- Materials: Epoxy Resin Topcoat
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: Pearl Epoxy Resin Floor Coating,
Metallic Epoxy Resin Floor Coating



Product Description

Metallic Epoxy Resin Pearl Epoxy Flooring For Homes Offices Showrooms

Quick Details Of Metallic Epoxy Floor Coating:

While metallic epoxy floors have a smooth and glossy finish, it is possible to incorporate slip-resistant additives into the topcoat to improve traction and safety. This ensures that the floor maintains its aesthetic appeal while providing a secure walking surface. Application Versatility: Metallic epoxy floors can be applied to various substrates, including concrete, wood, and even existing tiled surfaces. This versatility makes them suitable for a wide range of residential, commercial, and industrial applications, such as homes, offices, retail spaces, showrooms, restaurants, and more.

Features Of Metallic Epoxy Floor Coating:

1. Strikingly beautiful and resilient
2. Exquisite aesthetics with lasting durability
3. Custom colors and textures available
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa·s	50-150 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



Guangdong Crekoat New Materials Co., Ltd.



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

