

Seamless High Gloss Metallic Floor Paint With Pigments Blend Dynamic Swirl

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-MTL2001
Minimum Order Quantity: 400KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Article Name: Metallic White Epoxy Floor
 Element: Seamless Protection
 Key Words: 100% Solids Content
 Materials: Epoxy Resin Topcoat

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Seamless High Gloss Metallic Floor Paint,

Metallic Floor Paint With Pigments Blend



Product Description

Seamless High-Gloss Metallic Floor Paint With Pigments Blend Dynamic Swirl

Quick Details Of Metallic Epoxy Floor Coating:

One of the standout features of metallic epoxy floors is their seamless and high-gloss finish. This creates a sleek, reflective surface that enhances the overall ambiance of a room. The flawless, mirror-like shine adds a touch of sophistication and luxury, making these floors ideal for upscale residential and commercial settings. Unparalleled Depth and Dimension: Metallic epoxy floors are renowned for their ability to create an illusion of depth and dimension. The metallic pigments blend and swirl within the epoxy, forming captivating patterns reminiscent of flowing water, molten lava, or celestial phenomena. The result is a visually dynamic floor that adds an element of intrigue and artistic flair to any environment.

Features Of Metallic Epoxy Floor Coating:

- 1. Stunningly attractive with resilience
- 2. Beauty combined with enduring strength
- 3. Custom colors and textures available
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China