

Reflective Strength Metallic Epoxy Floor Coating Easy To Maintain TDS

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-MTL2001
Minimum Order Quantity: 400KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Labelled Item: Metallic Epoxy Wall
 Hallmark: Reflective Strength
 Key Words: 100% Solids Content
 Materials: Epoxy Resin Topcoat

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Reflective Strength Metallic Epoxy Floor

Coating

, TDS Metallic Epoxy Floor Coating

CREKOAT



Product Description

Commercial Floors Metallic Epoxy Price Highly Durable And Easy To Maintain

Quick Details Of Metallic Epoxy Floor Coating:

Captivating Metallic Epoxy Floors: With their mesmerizing metallic finish, these epoxy floors elevate the aesthetics of any space. The glossy surface creates a seamless and reflective masterpiece that adds depth and sophistication. From swirling patterns to vibrant hues, they offer endless design options. Beyond their visual appeal, metallic epoxy floors are highly durable and easy to maintain, making them ideal for high-traffic areas. With their resilience against stains and scratches, they ensure long-lasting beauty. Whether in homes, offices, or commercial venues, these floors leave a lasting impression with their captivating allure. Experience the allure of metallic epoxy floors and transform your environment into a stunning work of art.

Features Of Metallic Epoxy Floor Coating:

- 1. Stunning aesthetics, durable, versatile
- 2. Striking visual appeal, lasting resilience
- 3. Custom colors and textures available
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35ºC, 16-24hrs@25ºC	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China