

# Residential Metallic Floor Coating Long Lasting Resistance To Wear

## **Basic Information**

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-MTL2001
Minimum Order Quantity: 400KG

• Price: US\$4.5-6.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 1000000 Ton/Year



# **Product Specification**

Product Title: Black And Gold Metallic Epoxy Floor

Highlight: Epoxy Floor Pigment
 Key Words: 100% Solids Content
 Materials: Epoxy Resin Topcoat

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Residential Metallic Floor Coating,

Wear Resistance Metallic Floor Coating



## **Product Description**

#### Residential Metallic Floor Coating Long-Lasting Resistance To Wear

#### **Quick Details Of Metallic Epoxy Floor Coating:**

Enchanting Elegance: Metallic epoxy floors enchant with their unparalleled elegance. The lustrous metallic sheen creates a captivating ambiance, transforming ordinary spaces into extraordinary showcases. With their seamless and glossy finish, these floors exude sophistication and style. Their durability and resistance to wear ensure long-lasting beauty, making them perfect for both residential and commercial settings. From sleek and modern designs to artistic and abstract patterns, metallic epoxy floors offer a world of endless possibilities. Elevate your space with the enchanting allure of metallic epoxy floors and indulge in a touch of refined luxury.

#### Features Of Metallic Epoxy Floor Coating:

- 1. Impressive aesthetics, enduring durability
- 2. Eye-catching allure, exceptional strength
- 3. Custom colors and textures available
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

#### **Advantages Of Metallic Epoxy Floor Coating:**

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

#### **Product Descriptions Of Metallic Epoxy Floor Coating:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25ºC	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China