

Residential Metallic Concrete Floor coating Blend Of Epoxy Resin And Power **Pigments**

Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-MTL2001 • Minimum Order Quantity: 400KG

• Price: US\$4.5-6.5/Kg

Bottle/Carton/Wooden Box · Packaging Details:

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

. Supply Ability: 1000000 Ton/Year



Product Specification

• Item Identifier: Metallic Epoxy Floor Basement

 Standout Characteristic: Luxurious Endurance Key Words: 100% Solids Content Materials: **Epoxy Resin Topcoat**

· Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 2:1 By Weight Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: Residential Metallic Concrete Floor Coating,

Epoxy Resin Metallic Concrete Floor Coating





Product Description

Residential Metallic Concrete Floor Blend Of Epoxy Resin And Power Pigments

Quick Details Of Metallic Epoxy Floor Coating:

Radiant Metallic Epoxy Floors: Unleash the power of radiant beauty with metallic epoxy floors. Crafted with a seamless blend of epoxy resin and metallic pigments, these floors ignite spaces with their captivating glow. From shimmering golds to striking silvers, their rich colors reflect light, creating an enchanting ambiance. Resistant to scratches and stains, they withstand the test of time while requiring minimal maintenance. Suitable for residential and commercial settings, they add a touch of modernity to homes, galleries, and retail spaces. Experience the transformative allure of radiant metallic epoxy floors and embrace a floor that emanates timeless elegance.

Features Of Metallic Epoxy Floor Coating:

- 1. Resistant to stains and chemicals
- 2. Customizable colors and patterns
- 3. Suitable for residential spaces
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Decorative marble appearance flooring

Advantages Of Metallic Epoxy Floor Coating:

Metallic epoxy floor coating is a low yellowing epoxy resin mixed with metallic pigments. Tiny, shimmering pigments are mixed into the epoxy and poured onto the floor or substrate. When these paints are stirred by a brush or roller, they gather, separate, twist and reflect light at different angles. Eventually, the epoxy hardens and the metallic pigments lock into place, giving them a three-dimensional, swirly appearance. Metallic epoxy floor coatings are not only look beautiful, but can meet all your performance needs. They are perfect for living rooms, office, restaurants, galleries and more.

Product Descriptions Of Metallic Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa⋅s	50-150 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	







No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China