



Seamless Epoxy Flake Floor Coating Resists Chemical And Heavy Traffic

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



Product Specification

- Product Appellation: Garage Floor Paint With Flakes
- Special Quality: High Gloss
- Key Words: Interior And Exterior Use
- Materials: Epoxy Resin And Hardener
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Seamless Epoxy Flake Floor Coating, Epoxy Flake Floor Coating Chemical Resist**



Product Description

Seamless Epoxy Flake Floor Coating Resists Chemical And Heavy Traffic

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake coating stands out as a versatile flooring option, comprising a blend of epoxy resin and decorative flakes. Its key distinguishing characteristics include exceptional adhesion, remarkable slip resistance, and outstanding UV stability. This coating finds application in diverse environments, such as commercial kitchens, sports facilities, and healthcare facilities. The unique composition of epoxy flake coating creates a seamless, hygienic surface that resists chemical spills, heavy foot traffic, and even harsh cleaning agents. Its vibrant color options and customizable patterns add a touch of creativity to any space, making it a popular choice for retail stores, restaurants, and residential areas. Whether it's about durability, aesthetics, or safety, epoxy flake coating surpasses expectations on multiple fronts.

Features Of Epoxy Flake Floor Coating:

1. Slip-resistant the textured finish
2. Creates a seamless, smooth surface
3. Odorless, low VOC, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150 mPa.s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China