

## High Gloss Epoxy Flake Floor Coating UV Resistant Excellent Adhesion

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-FL2001
- Minimum Order Quantity: 400KG
- Price: US\$4.5-6.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



### Product Specification

- Product Branding: Chip Garage Floor
- Facet: Abrasion Resistance
- Key Words: Interior And Exterior Use
- Materials: Epoxy Resin And Hardener
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **High Gloss Epoxy Flake Floor Coating, Epoxy Flake Floor Coating UV Resistant**



## Product Description

### High-Gloss Epoxy Flake Floor Coating UV Resistant Excellent Adhesion

#### Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake coating revolutionizes flooring with its remarkable features and performance. Combining epoxy resin with decorative flakes, it creates a seamless, high-gloss surface that is not only visually striking but also incredibly resilient. This coating surpasses traditional options with its exceptional resistance to chemicals, stains, and abrasions. It finds its application in various demanding environments like automotive showrooms, warehouses, and healthcare facilities, where its easy-to-clean nature and resistance to heavy traffic shine through. The versatility of epoxy flake coating extends to its customizable color combinations and patterns, allowing for endless design possibilities. With its seamless blend of durability, aesthetics, and easy maintenance, this coating elevates any space to new levels of excellence.

#### Features Of Epoxy Flake Floor Coating:

1. UV resistant, resists fading and yellowing
2. Bonds strongly, excellent adhesion
3. Odorless, low VOC, non-flammable
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

#### Advantages Of Epoxy Flake Floor Coating:

Epoxy Flake Coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

#### Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	600-800 mPa.s	50-150 mPa.s
Density, g/cm <sup>3</sup>	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D82-85	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China