

Non Slip Industrial Epoxy Floor Coating High Adhesion

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 400KG
- Price:
- · Packaging Details:
- Delivery Time:
- 3-7 Working Days • Payment Terms: T/T, Western Union, MoneyGram

CHINA

CREKOAT

CK-PT4001

US\$3.0-4.0/Kg

1000000 Ton/Year

Bottle/Carton/Wooden Box

SGS, TDS, MSDS

• Supply Ability:



Product Specification

- . Line Denotation:
- Functionality:
- Materials:
- . Key Words:
- · Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

- **Epoxy Painted Concrete Floors** High Adhesion Epoxy Resin And Hardener
- Seamless, High Gloss Finish
- Wood, Brick, Ceramic, Concrete
- 4:1 By Weight
- 30 Minutes
- 12 Months
- Non Slip Industrial Epoxy Floor Coating, Industrial Epoxy Floor Coating High Adhesion

CREKOAT



More Images



Non-Slip Industrial Epoxy Floor Coating For Heavy-Duty Applications

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor is composed of a robust epoxy resin system specifically designed for heavy-duty applications. It exhibits exceptional strength, chemical resistance, and durability. With its high-performance formulation, it can withstand extreme temperatures, heavy impacts, and harsh chemicals. Industrial epoxy floors are commonly applied in warehouses, manufacturing plants, industrial facilities, and automotive workshops, where they provide a seamless, non-slip surface that can handle heavy machinery, forklifts, and foot traffic. These floors are also easy to clean and maintain, making them ideal for environments that require a hygienic and long-lasting flooring solution.

Features Of Industrial Epoxy Floor Coating:

- 1. Offer long-lasting resilience
- 2. Chemical-resistant and moisture-resistant
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. This coating system is highly resistant to abrasion, chemicals, and moisture, making it ideal for high-traffic areas in commercial, industrial, and residential settings. Epoxy floor coating can be customized with a variety of colors, patterns, and textures, providing a unique and decorative finish. It is easy to clean and maintain, reducing the need for harsh chemicals and providing a low-maintenance flooring solution. Epoxy floor coating is also slip-resistant, improving safety in workplaces and homes. This flooring system can be applied to a variety of substrates, including concrete, wood, and metal, providing versatility and adaptability to any space. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Base Material(A)	Epoxy Hardener(B)
Appearance	Liquid	Liquid
Color	Customized Colors	Transparent
Density@25ºC	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	16-24hrs@25°C, 12-15hrs@35°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China