



## Chemical Resistance Polyaspartic Floor Coating For Industrial Facilities

### Our Product Introduction

#### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-PLS1001
- Minimum Order Quantity: 400KG
- Price: US\$10.5-16.5/Kg
- Packaging Details: Bottle/Cartron/Wooden Box
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 1000000 Ton/Year



#### Product Specification

- Labelled Goods: Full Flake Epoxy
- Nuance: Anti-Static Properties
- Key Words: Interior And Exterior Use
- Materials: 95% Solid Polyaspartic
- Application: Wood, Ceramic Tile, Concrete
- Mixing Ratio: 1:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Chemical Resistance Polyaspartic Floor Coating**  
**Polyaspartic Floor Coating For Industrial Facilities**



## Product Description

### Chemical Resistance Polyaspartic Floor Coating For Industrial Facilities

#### Quick Details Of Polyaspartic Floor Coating:

Polyaspartic floor coating is a standout solution, defined by its distinctive composition and exceptional attributes. Formulated with polyaspartic esters derived from polyurea chemistry, this coating offers unparalleled resilience, impressive chemical resistance, and rapid curing properties. Its remarkable feature lies in its ability to preserve its pristine appearance even when exposed to intense UV radiation.

Versatile across multiple environments such as industrial facilities, garages, and showrooms, it guarantees enduring protection against heavy foot traffic and harsh chemicals. Its superior adhesion to concrete and various substrates makes it a reliable choice for flooring projects that necessitate both durability and aesthetic appeal. This coating stands as a robust and adaptable solution, meeting the demands of diverse flooring applications with a blend of resilience and visual appeal.

#### Features Of Polyaspartic Floor Coating:

1. Resistant to various chemicals and spills
2. UV stability: Maintains color and appearance
3. Odorless, Low VOC, environmentally
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

#### Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

#### Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	200 cps	250 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D50-55	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China