

Industrial Kitchens Polyaspartic Floor Coating Withstand Heavy Foot Traffic

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-PLS1001
Minimum Order Quantity: 400KG

• Price: US\$10.5-16.5/Kg

Packaging Details: Bottle/Carton/Wooden Box

• Delivery Time: 3-7 Working Days

Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000000 Ton/Year



Product Specification

Product Alias:
 Black And White Epoxy Flakes

Highlight: Stain Resistance

Key Words: Interior And Exterior Use Materials: 95% Solid Polyaspartic

Application: Wood, Ceramic Tile, Concrete

Mixing Ratio: 1:1 By WeightPot Life: 40 MinutesShelf Life: 12 Months

Highlight: Kitchens Polyaspartic Floor Coating,
 Industrial Polyaspartic Floor Coating



Product Description

Industrial Kitchens Polyaspartic Floor Coating Withstand Heavy Foot Traffic

Quick Details Of Polyaspartic Floor Coating:

Polyaspartic floor coating distinguishes itself through its remarkable anti-slip properties. Formulated with polyaspartic esters derived from polyurea chemistry, this coating provides a safe and secure surface even in high-moisture or oily environments. Its unique texture enhances traction, reducing the risk of slips and falls. Whether in kitchens, industrial workshops, or commercial spaces, this coating offers peace of mind by prioritizing safety without compromising on durability and aesthetics. With its ability to withstand heavy foot traffic and maintain its slip-resistant qualities over time, polyaspartic floor coating is the ideal choice for areas where safety is paramount.

Features Of Polyaspartic Floor Coating:

- 1. Suitable for commercial and residential spaces
- 2. Withstands heavy foot traffic and impact
- 3. Odorless, Low VOC, environmentally
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Polyaspartic Floor Coating:

Polyaspartic flooring offers many advantages over other flooring systems. Its fast-curing properties make it possible to install and finish a floor in as little as one day, reducing downtime and improving productivity. It is highly durable and resistant to abrasion, chemicals, and UV rays, making it a long-lasting and low-maintenance flooring solution. Polyaspartic flooring can be customized with a variety of colors, patterns, and textures, providing endless design possibilities. It is also slip-resistant, improving safety in workplaces and homes. This flooring system is suitable for a variety of applications, including garages, showrooms, hospitals, schools, and even airplane hangars. With its combination of speed, durability, customization options, and low-maintenance features, polyaspartic flooring is a practical and stylish choice for both commercial and residential applications.

Product Descriptions Of Polyaspartic Floor Coating:

Item	Polyaspartic Resin(A)	Hardener(B)
item		. ,
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	200 cps	250 cps
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	1:1 by weight	
Hardness	Shore, D50-55	
Pot Life	30-40mins@25°C	
Curing Time	8-12hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Thickness	1-3 mm	
Recoat Time	2Hrs	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	







(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China